



**QUALIFIED SOLUTIONS OF
FABRIC BUILDING, STORAGE TENT
AND PORTABLE SHELTER**



TOUGHCOVER TENT AND STRUCTURE

ADD: No.2 Fushun RD, Qingdao, China 266000

Website: www.toughcovertent.com

PHONE: 86-185-6187-7892 **FAX:** 86-532-68720015

Email: sales@toughcovertent.com

SKYPE: terryyang1115

ABOUT US



ToughCover Tent Products Co., Ltd has 19 years experience in manufacturing **Storage Tent, Fabric Building, Instant Shelters, Portable Carport/ Garage, Warehouse, Container Shelter, Aircraft Hangar, Extra Large Trussed Style Building**, etc, with Guaranteed Quality and Direct Factory Price. We've been offering high quality products to Rhino Shelter, CoverTech ShelterStation, Kroftman, Dancover...for many years and built long term win-win relationship.

***Why ToughCover Tent is the best choice for your investment?**

- 1) Excellent range of tents, from 1.3m(4.3') wide mini garden to 25m(82') wide extra large trussed shelter. All parts Pre-drilled and Bolts provided. Stakes are provided for anchoring.
- 2) Leading tent/shelter manufacturer in China, with LARGEST area of plants, most skilled workers and more than 100 tons of material stock.
- 3) Directly Factory Wholesale Price to all customers, Maximum save your cost and be most competitive in your market.
- 4) UPSCALE raw material, Thick layer hot galvanized steel tubing and best quality PVC fabric with 10 YEARS warranty.
- 5) Professional engineer team with 20 years experience, fast response to customer request on new models in 24 hours.
- 6) ISO 9001: 2008 standard Quality Control System, from the raw material to the final packaging quality is strictly guaranteed.

TOUGHCOVER TENTS AND STRUCTURES

ADD: No.2 Fushun RD, Qingdao, China 266000

Website: www.toughcovertent.com

PHONE: 86-185-6187-7892 FAX: 86-532-68720015

Email: sales@toughcovertent.com

SKYPE: [terryyang1115](https://www.skype.com/user/terryyang1115)

Dome Fabric Structure(single tube structure)



ToughCover Dome shape fabric structures are a fast, durable and low cost solution for people who want an ideal temporary storage room. Based on different width span, we offer single tube frame structure, and double truss, and could be strengthened like adding more arches as customers' special request for load. These clearspan buildings do not have any internal uprights or columns but have superior height clearance, which allows the maximum usable space that could allow your cargos, trucks, loaders move and access freely. We use high strength PVC fabric, which is UV resistant, fire retardant and light permeable, protect your property, vehicles and cargos safely from the UV, dirt, rain and snow. These Dome/Round Storage Tents could allow the rain/snow water flow down easily from the roof, not water accumulation. ToughCover Dome structures are a superior choice for temporary warehouse of heavy machinery, vehicle garage, agriculture hay&grain storage, equipment maintenance and so on.

Best Selling



Model TC304015

Size: W9.15 x L12 x H4.5 meters, (W30 x L40 x H15ft)

Model TC306515


Size: W9.15 x L20 x H4.5 meters, (W30 x L65 x H15ft)

Model TC308515

Size: W9.15 x L26 x H4.5 meters, (W30 x L85 x H15ft)

Specification:

1. We have "standard" and "light" model for choice, the "standard" use 60x1.8mm tubing as arches and 48x1.5mm tubing as purlins; the "light" use 60x1.5mm tubing as arches and 40x1.5mm tubing as purlins
2. Winch roll up door, or zipper roll up door, size W3.7 x H3.8 meters(W12' x H12.5')
3. Cover: 300g/m² PE, or 610g/m² PVC or heavier, UV treated and fire retardant, 10 years warranty
4. Packed by steel crates. Easy for transportation.



Dome Fabric Structure(single tube structure)



6.1m(20') Wide single tube style Round Tent

Model: **TC202012**: W6.1 x L6.1 x H3.66m (W20' x L20' xH12'),

Model: **TC203012**: W6.1 x L9.15 x H3.66m (W20' x L30' xH12')

Model: **TC204012**: W6.1 x L12.2 x H3.66m (W20' x L40' xH12')

Model: **TC205012**: W6.1 x L15.0 x H3.66m (W20' x L50' xH12')

Specification:

1. Frame: 40x1.5mm tubing as arches, arch spacing 1.53m, 25x1.2mm tubing as purlins
2. Zipper roll up door, size W4.0 x H2.4 meters(W13' x H8')
3. Cover: 300g/m2 PE, or 610g/m2 PVC or heavier, UV treated and fire retardant, 10 years warranty
4. Packed by steel crates.



12.2m(40') Wide single tube style Round Warehouse Tent

Model: **TC404021**:

W12.2 x L12.0 x H6.4m (W40' x L40' xH21')

Model: **TC406521**:

W12.2 x L20.0 x H6.4m (W40' x L65' xH21')

Model: **TC408521**:

W12.2 x L26.0 x H6.4m (W40' x L85' xH21')

Specification:

1. Frame: 76x2.0mm tubing as arches, arch spacing 2.0m, 60x1.5mm tubing as purlins
2. Rope roll up door, size W3.7 x H4.0 meters (W12' x H13')
3. Cover: 300g/m2 PE, or 610g/m2 PVC or heavier, UV treated and fire retardant, 10 years warranty
4. Packed by steel crates.



Dome Fabric Structure (Double Truss style)



9.15m (30ft) wide Double Truss, Round/Dome Fabric Building. Special Strengthened, Strong Double Truss Style structure and durable fabric. Great for strong snow load. Industrial Storage Shelters, Commercial Tents, Portable Shelters

Model TC304015T(40): W9.15 x L12 x H4.5 meters, (W30 x L40 x H15ft)

Model TC306515T(40): W9.15 x L20 x H4.5 meters, (W30 x L65 x H15ft)

Model TC308515T(40): W9.15 x L26 x H4.5 meters, (W30 x L85 x H15ft)

The TC304015T(40) series use 40x1.5mm tubing as truss arch. For special request for very heavy snow/wind load, we could use 60x1.5mm tubing as truss arches.

Specification:

1. Hot galvanized, Strong Double Truss Style for very heavy load
2. Winch roll up door, size: W3.7 x H3.8m (W12' x H12.5')
3. Cover: 300g/m2 PE, or 610g/m2 PVC or heavier, UV treated and fire retardant, 10 years warranty
4. Packed by steel crates. Easy for transportation.



12.2m (40ft) wide Double Truss, Round/Dome Warehouse Storage Tent

Model TC406020T:

W12.2 x L18.3 x H6.1 meters, (W40 x L60 x H20 ft)

Model TC407020T:

W12.2 x L21.4 x H6.1 meters, (W40 x L70 x H20 ft)

Model TC408020T:

W12.2 x L24.4 x H6.1 meters, (W40 x L80 x H20 ft)

Specification:

1. Hot galvanized, Strong Double Truss Style for very heavy load
2. Winch roll up door, size: W3.7 x H5.2m (W12' x H17')
3. Cover: 300g/m2 PE, or 610g/m2 PVC or heavier, UV treated and fire retardant, 10 years warranty
4. Packed by steel crates.



Dome Fabric Structure (Double Truss style)



15.24m(50ft) Wide Round/Dome Truss, Fabric Buildings, Fabric Structures for sale. Widely used for warehouse storage of industry, farm and mining.

Model TC5060R: W15.24 x L18.3 x H7.0 meters, (W50 x L60 x H23 feet)

Model TC5080R: W15.24 x L24.4 x H7.0 meters, (W50 x L80 x H23 feet)

Model TC50100R: W15.24 x L30.48 x H7.0 meters, (W50 x L100 x H23 feet)

Model TC50150R: W15.24 x L45.65 x H7.0 meters, (W50 x L150 x H23 feet)

Specification:

1. Hot galvanized, Strong Double Truss Style for very heavy load. With extra steel wires tensions for strength. "X" cross wind braces at 4 corners.
2. Winch roll up door in both front and back ends, door size W4.6 x H5.2m(W15 x H17 feet)
3. Cover: 300g/m2 PE, or 610g/m2 PVC or heavier, UV treated and fire retardant, 10 years warranty
4. Packed by steel crates. Easy for transportation.



Heighten 9.15m(30ft) wide Dome Storage Building, Fabric Structure, Warehouse Tent. Easy installation, and widely used for storage of oil field, mining, industrial and farm.

Model TC304020T:

W9.15 x L12.0 x H6.0 meters (W30 x L40 x H20 feet)

Model TC305920T:

W9.15 x L18.0 x H6.0 meters (W30 x L59 x H20 feet)

Model TC306520T:

W9.15 x L20.0 x H6.0 meters (W30 x L65 x H20 feet)

Model TC308520T:

W9.15 x L26.0 x H6.0 meters (W30 x L85 x H20 feet)

Specification:

1. Hot galvanized, Strong Double Truss Style for very heavy load
2. Winch roll up door, size: W3.7 x H4.0m (W12' x H13'), and one man door.
3. Cover: 300g/m2 PE, or 610g/m2 PVC or heavier, UV treated and fire retardant, 10 years warranty
4. Packed by steel crates.



Warehouse Storage Tent (single tube style)



Classical semicircle design, appropriate size, cost advantage due to the large scale production,.... semicircle series **TC-3040** and **TC-3065** keeps **NO.1** selling speed among the single tube warehouse shelters these years. The length is adjustable according to your demand. The whole structure is firmly fixed to the ground by steel base flange plates. It can be fixed to flexible ground, like earth condition, concrete condition, wood base, etc. The main cover is evenly and firmly tensioned by the swaged tensioning tubes with strips attached to the tie down ratchets in the base plates.

Best Selling



Semicircular Shelter

MODEL: TC304015, TC306515, TC308515

**SIZE: L12/20/26 x W9.15 x H4.5m
(L40'/65'/85' x W30' x H15').**

- Best Selling model in Europe and America.
- Perfect semicircular shape
- good appearance
- strong frame
- easy assembly.
- Unique mechanical door
- Widely used for parking, ware-

Bus Shelter

MODEL: TC1832, TC1850, TC1865

**SIZE: L10/15/20 x W5.5 x H5.3m
(L33'/49'/65' x W18' x H17'5").**

Frame: powder coated or galvanized steel frame, 76mm(3") big steel tube, Mechanical roll up door
Cover: 300 g/m2 PE(polythene) or 610 g/m2 PVC fabric.

Great evaluated model by customers for its strong structure and good size for bus/car parking.



Middle Size Shelter



Our middle size single tube shelters can be used as two car garage, boat shelter, barn, party tent and cargo storage, warehouse, so on. All of them are well designed for easy assembly. As showing below, both of them use big specification tube to ensure the strong structure. We can also produce for you according to your requirements, drawings, or designs.

Double-Car Garage, Carport

MODEL: TC2424, TC2446

SIZE: L7.1/14.2 x W7.3 x H4.2 meters
(L23'3"/46'6" x W24' x H13'9")

Frame: 60mm(2 3/8") hot galvanized steel frame, Roll up door.

Cover: 300g/m2 PE(polythene), or 610g/m2 PVC fabric.
Packed by steel crate



Barn Shed, Portable Shelter

MODEL: TC2630, TC2645, TC2652, TC2667

SIZE: L9.15/13.64/15.9/20.5 x W7.9 x H4.2 meters
(L30'/45'/52'/67' x W26' x L13'9")

Frame: 76mm(3") Hot galvanized steel tubing, Roll up door

Cover: 300g/m2 PE(polythene) or 610g/m2 PVC fabric.



Middle Size Shelter



We have a wide range of shelters for protecting and maintaining your boat, high RV, big cars, etc. They can also be used as barn, back yard storage, wood shed, special vehicle parking, etc. All of them are well designed for easy assembly and enough strength for snow and wind load. Like many of our other shelters, we supply steel cable to further enhance the structure. According to the feature of storing boat, we specially design the full open zipper door. There must be one here for you.



MODEL: TC112712, TC113312, TC113912
SIZE: L8/10/12 x W3.5 x H3.8 meters
(L26'/33'/39'4" x W11'6" x H12'6")

MODEL: TC112715, TC113315, TC113915
SIZE: L8/10/12 x W3.5 x H4.5 meters
(L26'/33'/39'4" x W11'6" x H14'9")

MODEL: TC133312, TC133912, TC134512
SIZE: L10/12/14 x W4.0 x H3.7 meters
(L33'/40'/46' x W13' x H12'2")

MODEL: TC133315, TC133915, TC134515
SIZE: L10/12/14 x W4.0 x H4.5m
(L33'/40'/46' x W13' x H14'9")

FEATURE:

Frame: Powder coated or Hot galvanized steel frame, tube size 60mm(2 3/8") or 48mm(1 8/9").

The arch sections are connected by swaged ends and bolts.

The purlins are fixed to arches by bolts.

Flange base plates, fixed to ground by stake pegs and earth augers.

Cover: 300g/m2 PE(polythene), or 610 g/m2 PVC fabric

Door: zipper roll up door or winch roll up door



Boat Shelter



Large Size Shelter



Our single tube warehouses always keep the obvious advantages in the competition. In the past 15 years, we have accumulated abundant market experience, and have successfully developed many fabric shelters. Thanks to the high quality, professional design, wide application and commercial prices, our warehouses are very competitive and in high demand.

Large Warehouse

MODEL: TC2682

SIZE: L25 x W7.9 x H4.2m (L82' x W26' x H14')

Frame: 76mm(3") powder coated or hot galvanized steel frame

Cover: 300 g/m2 PE(polythene) or 610 g/m2 PVC fabric.

200 m2 big room, best choice for warehouse and storage.



6.2M HIGH WAREHOUSE



MODEL: TC2645H, TC2667H, TC2682H

SIZE: L13.6/20.4/25 x W7.9 x H6.2 meters (L45'/67'/82' x W26' x H20'4")

Frame: 76mm(3") powder coated or hot galvanized steel frame, Mechanical Roll up door W3.8xH4.3m(W12'6" x H14'1").

Cover: 300 g/m2 PE(polythene) or 610 g/m2 PVC fabric.

Trussed Frame Large Shelter



Generous size, strong galvanized trussed frame structure, high quality materials, commercial price, wide applications, This shelter keeps no.1 selling speed among the trussed frame shelters when it was born.

They are your best choice for:

- industrial warehouse
- farming storage
- mining storage
- temporary workshop

40' wide Trussed Warehouse

MODEL: TC406019, TC407019, TC408019

TC406021, TC407021, TC408021

SIZE: L18.3/21.4/24.4 x W12.2 x H5.8/6.4 meters
(L60'/70'/80' x W40' x H19'/21')



Strongly Recommended
Double Tube Truss Style



Our **Aircraft Hangars** supply the best services in protecting your airplanes from all the weather elements. They are made of heavy duty galvanized trussed frame structures and 610g/m2 PVC coated fabric, at professional designing and high level manufacturing. They have a large sliding door opening in the full width of the shelter.



MODEL: TC4630, TC4636, TC4642

SIZE: L9.15/11.0/12.8 x W14 x H4.95 meters
(L30'/36'/42' x W46' x H16')

Trussed Frame Large Shelter



30' wide Double Tube Truss Dome fabric building

Model: TC304015T(40), TC306515T(40), TC308515T(40)

1. Strong Truss Style for very heavy load, use 40x1.5mm tubing as truss arch.
2. Hot galvanized steel structure for Antirust.
3. Winch roll up door, door size: W3.7 x H3.8m (W12' x H12.5')
4. Fabric: 300g/sq.m PE or 610g/sq.m PVC with 10 years longevity, UV resistant, Fire

Model TC304015T(40): W9.15 x L12 x H4.5 meters, (W30 x L40 x H15ft)

Model TC306515T(40): W9.15 x L20 x H4.5 meters, (W30 x L65 x H15ft)

Model TC308515T(40): W9.15 x L26 x H4.5 meters, (W30 x L85 x H15ft)

The TC304015T(40) series use 40x1.5mm tubing as truss arch. For special request for very heavy snow/wind load, we could use 60x1.5mm tubing as truss arches.

9.7m(32')Wide Truss Style Fabric Building. Model: TC3230T

1. Size: L9 x W9.7 x H4.7m (L29'6" x W31'10" x H15'5")
2. Super Strong Truss Style for very heavy load
3. Hot galvanized steel structure for Antirust.
4. 3-zippers roll up door
5. Fabric: 610g/m2 PVC with 10 years longevity, UV resistant, Fire retardant.



Trussed Frame Large Shelter



Our trussed frame shelters are professionally designed to protect your properties for temporary and permanent use. The structures are very strong, taking the robust trussed frame design and using big specification materials. Without any column or supports inside, our shelters supply you a spacious interior room to allow a lot of applications. All the parts of the shelters are well processed in advance for easy set up according to the assembly manual. Compared with the traditional buildings, our trussed frame shelters are cost effective, easy to set up, and they can be relocated according to the needs.



15m Wide Truss Style Large Shelter

MODEL: TC4966, TC4998, TC49115

SIZE: L20/30/35 x W15 x H7.2m

(L66'/98'/115' x W49' x H24')

Frame: Double tube trussed frame that made of high quality galvanized steel tube, complete with all connection kits, anchor kits. Mechanical Roll up door W4.6xH5.2m(W15' x H17').

Cover: 300 g/m2 PE(polythene) or 610 g/m2 PVC fabric, high level UV treated for long life, fire retardant and 100% waterproof.



Double Truss Structure




If you need more stronger and stable structure to resist bad weather, such as strong wind and heavy snow, our double truss style maybe your best choose.

15.24m(50ft)wide Double Truss Fabric Structure. With extra steel wires tensions for strength. Widely used at mining, oil field, industry warehouse, agriculture storage.



Model:TC5060 ,TC5080,TC50100,TC50150

1. Size:W15.24 x L18.3/ 24.4/ 30.5/ 45.7 x H7.0 meters (W50 x L60/80/100/150 x H23 feet)
2. Strong double truss style for heavy snow and wind load.
3. Winch roll up door in both front and back ends, door size: W4.6 x H5.2m(W15 x H17 feet).
4. Fabric: 610g/m² PVC, or 850g/m² PVC, 10 years warranty.



Customer feedback pictures



Double Truss Structure



15.3m(50') wide Storage Tent, Fabric Covered Buildings, with strong double truss design. Easy installation and durable cover.

Model: TC505024, TC508024, TC5010024, TC5015024

1. Size: W15.24 x L15.24/24.4/30.5/45.7 x H7.3 meters (W50 x L50/80/100/150 x H24 feet).
2. Strong Truss Style for Heavy load. With extra slanting support tubes at sidewall for strengthen.
3. Hot galvanized for Antirust.
4. Roll up door, size: W4.6 x H5.2m (W15 x H17 feet)



25m(82ft) wide Clearspan Tension Fabric Buildings

Model TC8279 ,TC8298 ,TC82118

1. Size: W25.0 x L24/30/36 x H8.5 meters (W82 x L79/98/118 x H28 feet)
2. Double truss arches made of 76x2.2mm(3") tubing on 3.0m(9.8ft) spacing. Extra steel wires and twisted purlins for strength.
3. Strong and durable 750g or 850/m2 PVC fabric cover, UV resistant, Fire retardant.
4. Different kinds of door is available, electric roll up door, winch roll up door or sliding door.



Trussed Frame Large Shelter



This trussed frame shelter adopts a peaked roof style, uses very big specification materials, and applies to the enforced design. The heavy duty truss sections are fixed together by flange plates, instead of bolting, to keep the biggest strength of the tubing. Much more support tubes are added to the structures. It is well calculated and designed to be used in the heavy snow and wind areas like in North America and north Europe. A big sliding door of W12xH4m in the front panel can allow the big forklift to go in and out freely, also this is a very good choice as aircraft hangar.



(Crates Packing)



20m Wide Large Shelter


MODEL: TC6549, TC6565, TC6598

SIZE: L15/20/30 x W20 x H8 meters
(L49'/65'/98' x W65' x H26'3")

Frame: Double tube trussed frame that made of high quality galvanized steel tube, complete with all connection kits, anchor kits. Many diagonal support tubes to grasp the frame as one whole. One sliding door W12xH4m(W39'4" x H13').

Cover: 300 g/m² PE(polythene) or 610 g/m² PVC fabric, high level UV treated for long life, fire retardant and 100% waterproof.

Designed for customers for very heavy snow load with 20M super wide. Special diagonal support tubes connection for maximum strength. And we also could do longer shelter (20m, 40m, 60m, 50m,



Container Shelter



Container Shelter series are BEST SELLING SERIES IN EUROPE, AMERICA AND AUSTRALIA. They are easy installed on containers or buildings, could offer very big room for customers under very low cost. And they have strong frame to stand wind. All Container Shelters could add end panel as customers' requests.



6m Wide Container Shelter

MODEL: TC-2020C

TC-2040C

SIZE: L6.1/12.2 x W6.1 x H1.8m
(L20/40' x W20' x H6')

High quality hot galvanized steel frame. Single tube structure.

300g/m² PE(polythene) or 610g/m² PVC fabric, high tensile strength, UV treated for long life, fire retardant, 10 years warranty.

8m Wide Container Shelter

MODEL: TC-2620C

TC-2640C

SIZE: L6.1/12.2 x W8 x H3m
(L20'/40' x W26' x H10')

76x2.0mm(3'') strong tubing as arch, with extra slanting support tube.

End panel is optional.



10m Wide Container Shelter

MODEL: TC-3340C

SIZE: L12.2 x W10.0 x H5m
(L40' x W33' x H16'5'')

76x2.0mm(3'') strong tubing as arch, with extra slanting support tube.

End panel is optional.



Truss Style Container Shelter



Container Shelter series are **BEST SELLING SERIES IN EUROPE, AMERICA AND AUSTRALIA**. They are easy installed on containers or buildings, could offer very big room for customers under very low cost. And they have strong frame to stand wind. All Container Shelters could add end panel as customers' requests.

12m and 14m Wide Container Shelter

MODEL TC4040C: L12.2 x W12 x H4m (L40' x W40' x H13')

MODEL TC4640C: L12.2 x W14 x H5m (L40' x W46' x H16'5')

Our 12m and 14m wide Container shelter use **Super Strong Truss Structure**, to ensure strong and durable for heavy snow and wind. End panel is optional.

Cover:300g/m² PE(polythene) or 610g/m² PVC fabric, high tensile strength, UV treated for long life, fire retardant, 10 years warranty.



Livestock Tent, Animal raising Shelter



New designed Livestock Tent, Animal raising Shelter. For Cows, Goats, Pigs Livestock, or Farm storage. Excellent choose for husbandry.



Livestock Tent, Animal raising Shelter.

Model: TC202012W, TC202012A

1. Size: L6.0 x W6.0 x H3.7m (L20' x W20' x H12')
2. Hot galvanized steel structure for Antirust.
3. Steel frame door in front panel, and closed back panel.
4. Fabric: 300g/m² PE or 610g/m² PVC with 10 years longevity, UV resistant, Fire retardant.
5. For Cows, Goats, Pigs Livestock, or Farm storage.



Classical Single Carport



Wide range of portable small carport with professional design and high level manufacturing. They are easy to set up, strong structure to stand wind and snow. They are your best choice for car/RV parking, boat protecting, wood shed, farm shed, and cargo storage. The unique base square tubes and the main cover tensioning designs ensure our port-

Cover: 300 g/m² PE or 610g/m² PVC
Door: zipper door in both or one end.

Features:

Powder coated steel frame // Tube diameter 32mm // Easy set up by 3-way and 4-way connectors // Stable base square tube // Cross tubes in the ends, fixed to ground by stake peg and earth augers // The main cover is tensioned to the square base tube by tensioning tubes and tie down ratchets.

Portable carport

MODEL: TC-1215/TC-1220/TC-1225/

TC-1230/TC-1235

SIZE: L4.5 /6.0 /7.5 /9.0 /10.5 x W3.66 x
H2.6 meters
(L15' /20' /25' /30' /35' x W12' x H8'6")



Small Size Carport, Shelter



Our small carport and shelter are made of powder coated/galvanized steel tube frame and durable PE (polythene) fabric cover. They have delicate appearance, professional design and strong structure. The perfect design makes them very easy to set up. They can be used for car parking, cargo storage, weeding machine, equipments storage. A very good DIY product for your weekend.

DIY Garden Shed



MODEL: TC-162
TC-511
SIZE: L2.59/3.35 x W1.6 x H1.93m
(L8'6"/11' x W5'3" x H6'4")



MODEL: TC-250A
SIZE: L3 x W2.5 x H2.3m
(L9'10" x W8'3" x H7'6")

Powder coated steel frame. Tubes are quickly connected by 3-way and 4-way fittings.

Covered by 200 g/m² PE(polythene) fabric, UV treated, fire retardant and 100% waterproof. Transparent greenhouse cover is optional.



MODEL: TC-788
SIZE: L5.1 x W2.7 x H2.3m
(L16'9" x W9' x H7'6")

Mini Carport

This carport uses powder coated steel frame and 200g/m² PE fabric. The frame has 6 groups of arches and 3 groups of purlins. It can be quickly set up using 3-way and 4-way connectors.

Featured base, made of square steel tubes. When it is fixed to the ground, the whole structure is very strong and steady.

TSU-788 keeps the no. 1 in the selling of the small shelters for many years. It is warmly welcomed in the markets thanks to its good quality, professional design, and durable structure.



Walk-thru Greenhouse



Walk-thru Greenhouse, 12ft(3.66m) wide, fast and easy assembly. House style and Round style for choice.

Model TC122008(House Style): W12 x L20 x H8 feet (W3.66 x L6.1 x H2.44 meters)

Model TC122408(House Style): W12 x L24 x H8 feet (W3.66 x L7.3 x H2.44 meters)

Model TC122008(Round Style): W12 x L20 x H8 feet (W3.66 x L6.1 x H2.44 meters)

Model TC122408(Round Style): W12 x L24 x H8 feet (W3.66 x L7.3 x H2.44 meters)

1. Clearview, translucent PE fabric, that UV resistant. Great for your plants growth and protection.

2. Hot galvanized framework, all parts needed for assembly are provided.

3. Zipper door in both Ends, the sidewall cover could be rolled up at bottom for ventilation.

4. Fabric: 180g/m2 translucent PE fabric, UV resistant, can let most sunshine com in.

Perfect for family use, grower garden greenhouse.





Structure Your Structure
Satisfy Your Satisfaction

TOUGHCOVER TENTS AND STRUCTURES

ADD: No.2 Fushun RD, Qingdao, China 266000

Website: www.toughcovertent.com

PHONE: 86-185-6187-7892 FAX: 86-532-68720015

Email: sales@toughcovertent.com

SKYPE: [terryyang1115](https://www.skype.com/people/terryyang1115)